

# Ingenico

## Payment Terminal Mounting Solutions



Featuring  
**DuraTilt™ & MultiGrip™**  
Plate Technology

### BENEFITS AT A GLANCE


- *DuraTilt™* - patented tilt technology
- *MultiGrip™* plate technology
- Cost effective upgrades
- Unique ergonomic design
- Smooth operation of terminal
- Full cable management
- 5 years warranty
- ClickSafe™ compliant

# Payment Terminal Mounting Solutions

## Featuring *DuraTilt™* and *MultiGrip™* Plate Technology

### Tilting Mechanism

- **DuraTilt™** patented tilt technology from Ergonomic Solutions. Tested through 250,000 cycles and proven in retail installations for over 5 years without the need for tightening or lubrication
- Range of tilt which meets all recommended ergonomic requirements for disability access and reduces the need to remove payment terminal from the stand




### Payment Terminal Rotation

- Rotates from the customer side around to cashier side
- Intelligently designed 'anti-wobble' plastic sleeve that provides smooth operation and simplifies installation in regards to rotation slot alignment

### Technology Plates

- All plates offer a unique system of multiple plate mounting positions for any environment at the point of sale
- **MultiGrip™** - Patented friction pad design, ensuring payment terminal is gripped securely, whilst remaining easy to remove for disability access. Ergonomic tilt handle as standard
- Key Hole design - (dependant on terminal type) enabling the terminal to be locked into position on the plate. No tilt handle as standard



### Cost Effective Simple Upgrades

- The **MultiGrip™** plate is simply positioned and screwed to the **DuraTilt™** joint
- Increased return on investment due to plate only upgrade

### Additional Peripherals


- Including contactless and bio-metric card readers
- Security enhancements can be incorporated with any solutions

### Cable Management

- Full cable management
- Plastic grommet to ensure cable is not damaged by the metal
- Limited head rotation to ensure cables are not stressed

### Other Design Features

- Plastic flange cover to hide fixings
- Simple and quick to install
- Complete boxed solutions, including fixings and mounting instructions



### Warranty

- 5 years on all metal mounting parts manufactured by Ergonomic Solutions.



ING3301-D  
**DuraTilt™**




ING3301-N  
Non Tilting

**3300**

| Part number | Mount type       | Pole height (mm) | Pole dia. (mm) | Footprint (mm) | Cable management |
|-------------|------------------|------------------|----------------|----------------|------------------|
| ING3301-D   | <b>DuraTilt™</b> | 120              | 38             | 97             | Internal         |
| ING3301-N   | Non Tilting      | 120              | 38             | 97             | Internal         |



ING5101-D  
**DuraTilt™**



ING5101-N  
Non Tilting

**5100**

| Part number | Mount type       | Pole height (mm) | Pole dia. (mm) | Footprint (mm) | Cable management |
|-------------|------------------|------------------|----------------|----------------|------------------|
| ING5101-D   | <b>DuraTilt™</b> | 120              | 38             | 97             | Internal         |
| ING5101-N   | Non Tilting      | 120              | 38             | 97             | Internal         |



ING6501-D  
**DuraTilt™**



ING6501-N  
Non Tilting

**6500/6550**

| Part number | Mount type       | Pole height (mm) | Pole dia. (mm) | Footprint (mm) | Cable management |
|-------------|------------------|------------------|----------------|----------------|------------------|
| ING6501-D   | <b>DuraTilt™</b> | 100              | 44.5           | 97             | Internal         |
| ING6501-N   | Non Tilting      | 100              | 44.5           | 97             | Internal         |



ING3381-D  
**DuraTilt™**




ING3381-N  
Non Tilting

**3380**

| Part number | Mount type       | Pole height (mm) | Pole dia. (mm) | Footprint (mm) | Cable management |
|-------------|------------------|------------------|----------------|----------------|------------------|
| ING3381-D   | <b>DuraTilt™</b> | 120              | 38             | 97             | Internal         |
| ING3381-N   | Non Tilting      | 120              | 38             | 97             | Internal         |



ING3071-D  
**DuraTilt™**



ING3071-N  
Non Tilting

**3070**

| Part number | Mount type       | Pole height (mm) | Pole dia. (mm) | Footprint (mm) | Cable management |
|-------------|------------------|------------------|----------------|----------------|------------------|
| ING3071-D   | <b>DuraTilt™</b> | 120              | 38             | 97             | Internal         |
| ING3071-N   | Non Tilting      | 120              | 38             | 97             | Internal         |



FLX101-D  
**DuraTilt™**



FLX101-N  
Non Tilting

| Flexi       |                  |                  |                |                |                  |
|-------------|------------------|------------------|----------------|----------------|------------------|
| Part number | Mount type       | Pole height (mm) | Pole dia. (mm) | Footprint (mm) | Cable management |
| FLX101-D    | <b>DuraTilt™</b> | 120              | 38             | 97             | Internal         |
| FLX101-N    | Non Tilting      | 120              | 38             | 97             | Internal         |



SAG301-D  
**DuraTilt™**



SAG301-N  
Non Tilting

| EFT930      |                  |                  |                |                |                  |
|-------------|------------------|------------------|----------------|----------------|------------------|
| Part number | Mount type       | Pole height (mm) | Pole dia. (mm) | Footprint (mm) | Cable management |
| SAG301-D    | <b>DuraTilt™</b> | 120              | 38             | 97             | Internal         |
| SAG301-N    | Non Tilting      | 120              | 38             | 97             | Internal         |



SAG601-D  
**DuraTilt™**



SAG601-N  
Non Tilting

| ML30        |                  |                  |                |                |                  |
|-------------|------------------|------------------|----------------|----------------|------------------|
| Part number | Mount type       | Pole height (mm) | Pole dia. (mm) | Footprint (mm) | Cable management |
| SAG601-D    | <b>DuraTilt™</b> | 120              | 38             | 97             | Internal         |
| SAG601-N    | Non Tilting      | 120              | 38             | 97             | Internal         |



INGIPP2201-D  
**DuraTilt™**



INGIPP2201-N  
Non Tilting

| IPP220       |                  |                  |                |                |                  |
|--------------|------------------|------------------|----------------|----------------|------------------|
| Part number  | Mount type       | Pole height (mm) | Pole dia. (mm) | Footprint (mm) | Cable management |
| INGIPP2201-D | <b>DuraTilt™</b> | 120              | 38             | 97             | Internal         |
| INGIPP2201-N | Non Tilting      | 100              | 38             | 97             | Internal         |



ING3501-D  
**DuraTilt™**



ING3501-N  
Non Tilting

| IPP350      |                  |                  |                |                |                  |
|-------------|------------------|------------------|----------------|----------------|------------------|
| Part number | Mount type       | Pole height (mm) | Pole dia. (mm) | Footprint (mm) | Cable management |
| ING3501-D   | <b>DuraTilt™</b> | 120              | 38             | 97             | Internal         |
| ING3501-N   | Non Tilting      | 120              | 38             | 97             | Internal         |

### Additional Information

|                       |  |
|-----------------------|--|
| Ease of Installation: | Intelligently designed 'anti-wobble' sleeve aids installation by simply aligning the fixing with pole rotation slot. |
| Cable Management:     | The recommended counter hole size for cable management is Ø40mm.   |
| Standard Colour:      | Black (02).  |
|                       | Example O/N: ING3381-D-02 (provide product number + colour number).  |

### ClickSafe™

To protect digital information, prevent data loss and further secure hardware, Ergonomic Solutions recommends SpacePole ClickSafe, a security lock for payment terminals, mobile devices and POS hardware. ClickSafe has been specifically engineered to withstand the rigors of a potentially hostile environment and protect payment terminals and hardware from abuse and theft. ClickSafe features unique SpacePole integration and the keyless installation only requires you to click the lock in place.

The assured quality and testing standards of the SpacePole ClickSafe ensures piece of mind for both the retailer and customer. The solution fits all physical security requirements, features ease of installation and provides the unique possibility of integrating it with existing SpacePole products enhancing both flexibility and security.

ClickSafe comes in the formats Dual Lock Curly Cable and Single Lock Straight Cable.



|                  |  |
|------------------|--|
| <b>RoHS:</b>     | All Ergonomic Solutions products are fully compliant with RoHS directives.                 |
| <b>REACH:</b>    | (EC 1907/2006) Ergonomic Solutions is committed to ongoing compliance with this directive. |
| <b>Patents:</b>  | SpacePole® is a registered trademark and a patented product.                               |
| <b>Warranty:</b> | 5 years on all parts manufactured by Ergonomic Solutions.                                  |

**For further information on our products or office locations please access:**  
[www.spacepole.com](http://www.spacepole.com)